

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	109	"unsupervised clustering"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 11:24			0
2	BRS	26	"metasearch engine"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 14:09			0
3	BRS	1	"metasearch engine" and unsupervised	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 11:25			0
4	BRS	0	"metasearch engine" and supervised	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 11:25			0
5	BRS	1	"metasearch engine" and "unsupervised clustering"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 11:25			0
6	BRS	17118	"raw data"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 11:25			0
7	BRS	3	"unsupervised clustering" same "raw data"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 11:26			0
8	BRS	17	"unsupervised clustering" and "raw data"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:27			0
9	IS&R	9	((("5924090") or ("6067552") or ("6085186") or ("6102969") or ("6275820"))).PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:29			0
10	BRS	0	((("5924090") or ("6067552") or ("6085186") or ("6102969") or ("6275820"))).PN.) and raw	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:29			0
11	BRS	0	((("5924090") or ("6067552") or ("6085186") or ("6102969") or ("6275820"))).PN.) and unsupervised	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:30			0
12	BRS	2	((("5924090") or ("6067552") or ("6085186") or ("6102969") or ("6275820"))).PN.) and cluster\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:30			0
13	BRS	24	query same metasearch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 14:09			0
14	BRS	1	(query same metasearch) and unsupervised	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 15:52			0
15	BRS	2	"group-average-linkage"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:09			0
16	BRS	9647	"search engine"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:09			0
17	BRS	161	list adj2 "search engine"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:10			0
18	BRS	564	clustering same categori\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:10			0
19	BRS	4	(list adj2 "search engine") and (clustering same categori\$9)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:42			0
20	BRS	3	((list adj2 "search engine") and (clustering same categori\$9)) and refin\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:46			0
21	BRS	83	storing near3 query near3 result	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:47			0
22	BRS	1	(storing near3 query near3 result) with sub-query	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:47			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
23	BRS	6	(storing near3 query near3 result) and sub-query	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 14:22			0
24	BRS	19	group-average	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 14:22			0
25	BRS	9	group-average and @py<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 14:24			0
26	BRS	2	group-average same distance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 14:24			0

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 [Print Format](#)Your search matched **3** of **1038994** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Utilizing cluster analysis to structure concurrent engineering teams***Compton, P.J.; Byrd, J., Jr.;*

Engineering Management, IEEE Transactions on , Volume: 47 , Issue: 2 , May 2000

Pages:269 - 280

[\[Abstract\]](#) [\[PDF Full-Text \(244 KB\)\]](#) **IEEE JNL****2 Extract salient visual features from imagery-motor sequences for mobile robot navigation***Jian Peng; Peters, R.A.;*

Systems, Man and Cybernetics, 2003. IEEE International Conference on , Volume: 3 , 5-8 Oct. 2003

Pages:2059 - 2064 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(515 KB\)\]](#) **IEEE CNF****3 Word segmentation in handwritten Korean text lines based on gap clustering techniques***Kim, S.H.; Jeong, S.; Guee-Sang Lee; Suen, C.Y.;*

Document Analysis and Recognition, 2001. Proceedings. Sixth International Conference on , 10-13 Sept. 2001

Pages:189 - 193

[\[Abstract\]](#) [\[PDF Full-Text \(456 KB\)\]](#) **IEEE CNF**



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide**SEARCH**

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)Terms used **group average linkage**

Found 2 of 132,857

Sort results
byDisplay
results[Save results to a Binder](#)[Search Tips](#)☐ Open results in a new
window[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Results 1 - 2 of 2

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Poster session and reception: Application of computational media aesthetics methodology to extracting color semantics in film](#)

Ba Tu Truong, Svetha Venkatesh, Chitra Dorai

December 2002 **Proceedings of the tenth ACM international conference on Multimedia**Full text available: [pdf\(159.93 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Using film grammar as the underpinning, we study the extraction of structures in video based on color using a wide configuration of clustering methods combined with existing and new similarity measures. We study the visualisation of these structures, which we call *Scene-Cluster Temporal Charts* and show how it can bring out the interweaving of different themes and settings in a film. We also extract color events that filmmakers use to draw/force a viewer's attention to a shot/scene. This i ...

2 [Scatter/Gather: a cluster-based approach to browsing large document collections](#)

Douglass R. Cutting, David R. Karger, Jan O. Pedersen, John W. Tukey

June 1992 **Proceedings of the 15th annual international ACM SIGIR conference on Research and development in information retrieval**Full text available: [pdf\(1.08 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Document clustering has not been well received as an information retrieval tool. Objections to its use fall into two main categories: first, that clustering is too slow for large corpora (with running time often quadratic in the number of documents); and second, that clustering does not appreciably improve retrieval. We argue that these problems arise only when clustering is used in an attempt to improve conventional search techniques. However, looking at clustering as an informa ...

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:

[Adobe Acrobat](#)[QuickTime](#)[Windows Media Player](#)[Real Player](#)